SUBJECT INDEX

Absorbed energy, p. 702
Acoustic emission, p. 258
Adhesive, p. 987
Aging, p. 1115
Aluminum, pp. 246, 1784
Anisotropy, pp. 102, 310, 1647
Aramid, p. 1784
Ballistic penetration, p. 722
Beams, pp. 177, 1560, 2203
  double cantilever, p. 2203
  laminated, p. 177
Bending, pp. 177, 406, 1311, 1808
  end-loaded, p. 1311
  mixed mode, p. 1808
Boundary conditions, p. 223
Braided fiber preform, p. 829
Braiding angle, p. 1964
Braiding parameters, p. 1964
Buckling, pp. 177, 335, 722, 951, 1311
  debond, p. 335
  delamination, p. 951
  elastic, p. 177
  micro-, pp. 722, 1311
Bundles, pp. 1426, 1472
CAI, p. 123
Carbon/epoxy, p. 1115
Carbon matrix, p. 1273
CDCB specimen, p. 987
Chopped glass strand mat, p. 1295
Coating, pp. 1306, 1426, 1472, 1680
Co-cured composite aluminum shaft, p. 1221
Co-curing, p. 1914
Cohesive springs, p. 2203
Complex woven microstructure, pp. 1426, 1472
Compliance rate change, p. 987
Composite flywheel, p. 1325
Composite flywheel rotor, p. 851
Composite materials, pp. 2, 68, 141, 223, 335, 874, 1138, 1297, 1306, 1391, 1914, 1986
Composite rotors, p. 652
Composite spheres assemblage model, p. 1391
Composite structures, pp. 68, 177
Composites, pp. 2, 31, 49, 102, 198, 246, 258, 310, 361, 387, 406, 483, 504, 600, 623, 664, 679, 702, 722, 766, 804, 893, 910, 969, 987, 1016, 1157, 1178, 1203, 1244, 1273, 1311, 1322, 1356, 1391, 1426, 1472, 1508, 1528, 1595, 1618, 1647, 1714, 1808, 2060, 2156, 2203
  carbon-carbon, pp. 1016, 1157, 1273
  ceramic matrix, pp. 679, 1714
  fiber, p. 766
  fiber reinforced, p. 1714
  FRP, p. 987
  glass fiber woven, p. 722
  graphite fiber/epoxy matrix, p. 49
  IM7/5260, p. 804
  IM7/LaRC-RP46, p. 1508
  knitted fabric, p. 102
  laminated, pp. 804, 2203
  laminated multidirectional, p. 49
  metal matrix, pp. 246, 910, 1714, 2156
  particle reinforced, p. 1322
  particulate, pp. 1356, 1391
  plain weave, p. 2
  polymer, pp. 1203, 2060
  polymer matrix, pp. 483, 1311, 1714
  random fiber, p. 664
  sandwich, p. 406
  textile, pp. 102, 310
  textile structural, p. 198
  thermoplastic, pp. 31, 361
  thermoset, p. 1273
  thick, pp. 49, 600
  unidirectional, pp. 483, 1311
  warp knitted, p. 1808
  woven, pp. 702, 1808
  woven fabric, p. 623
  woven fiber, p. 1178
Compression, pp. 893, 1334, 1618, 1964
  axial, p. 1964

SUBJECT INDEX

Absorbed energy, p. 702
Acoustic emission, p. 258
Adhesive, p. 987
Aging, p. 1115
Aluminum, pp. 246, 1784
Anisotropy, pp. 102, 310, 1647
Aramid, p. 1784
Ballistic penetration, p. 722
Beams, pp. 177, 1560, 2203
  double cantilever, p. 2203
  laminated, p. 177
Bending, pp. 177, 406, 1311, 1808
  end-loaded, p. 1311
  mixed mode, p. 1808
Boundary conditions, p. 223
Braided fiber preform, p. 829
Braiding angle, p. 1964
Braiding parameters, p. 1964
Buckling, pp. 177, 335, 722, 951, 1311
  debond, p. 335
  delamination, p. 951
  elastic, p. 177
  micro-, pp. 722, 1311
Bundles, pp. 1426, 1472
CAI, p. 123
Carbon/epoxy, p. 1115
Carbon matrix, p. 1273
CDCB specimen, p. 987
Chopped glass strand mat, p. 1295
Coating, pp. 1306, 1426, 1472, 1680
Co-cured composite aluminum shaft, p. 1221
Co-curing, p. 1914
Cohesive springs, p. 2203
Complex woven microstructure, pp. 1426, 1472
Compliance rate change, p. 987
Composite flywheel, p. 1325
Composite flywheel rotor, p. 851
Composite materials, pp. 2, 68, 141, 223, 335, 874, 1138, 1297, 1306, 1391, 1914, 1986
Composite rotors, p. 652
Composite spheres assemblage model, p. 1391
Composite structures, pp. 68, 177
Composites, pp. 2, 31, 49, 102, 198, 246, 258, 310, 361, 387, 406, 483, 504, 600, 623, 664, 679, 702, 722, 766, 804, 893, 910, 969, 987, 1016, 1157, 1178, 1203, 1244, 1273, 1311, 1322, 1356, 1391, 1426, 1472, 1508, 1528, 1595, 1618, 1647, 1714, 1808, 2060, 2156, 2203
  carbon-carbon, pp. 1016, 1157, 1273
  ceramic matrix, pp. 679, 1714
  fiber, p. 766
  fiber reinforced, p. 1714
  FRP, p. 987
  glass fiber woven, p. 722
  graphite fiber/epoxy matrix, p. 49
  IM7/5260, p. 804
  IM7/LaRC-RP46, p. 1508
  knitted fabric, p. 102
  laminated, pp. 804, 2203
  laminated multidirectional, p. 49
  metal matrix, pp. 246, 910, 1714, 2156
  particle reinforced, p. 1322
  particulate, pp. 1356, 1391
  plain weave, p. 2
  polymer, pp. 1203, 2060
  polymer matrix, pp. 483, 1311, 1714
  random fiber, p. 664
  sandwich, p. 406
  textile, pp. 102, 310
  textile structural, p. 198
  thermoplastic, pp. 31, 361
  thermoset, p. 1273
  thick, pp. 49, 600
  unidirectional, pp. 483, 1311
  warp knitted, p. 1808
  woven, pp. 702, 1808
  woven fabric, p. 623
  woven fiber, p. 1178
Compression, pp. 893, 1334, 1618, 1964
  axial, p. 1964

biaxial, p. 1618
Compression molding, p. 1808
Compression testing, p. 335
Compressive preload, p. 1221
Compressive properties, p. 49
Computational method, p. 177
Computational simulation, p. 744
Contact analysis, p. 951
Contact mode pair, p. 951
Cooling rate, p. 361
Core effect, p. 335
Crack, pp. 83, 198
interfacial, p. 198
transverse, p. 83
Crack growth rate, p. 1508
Crack growth resistance, p. 2016
Crack opening displacement, p. 83
Crashworthiness, p. 158
Crosshead rate, p. 1508
Crush, p. 1964
Crushing, p. 158
Cure modeling, p. 1273
Cusps, p. 1808
Damage, pp. 246, 258, 335, 406, 504, 664, 722, 1138, 1157, 1178, 1334
Damage mechanics, p. 504
Damping, pp. 652, 1914
Damping matrix, p. 652
DCB specimens, p. 2203
DCB test, p. 1508
Decomposition, p. 623
Deflection, p. 177
Deformation, pp. 83, 893
Degenerated shell element, p. 951
Degradation, p. 1115
Degree of cure, p. 600
Delamination, pp. 83, 123, 406, 431, 702, 722, 804, 951, 1138, 1178, 1246, 1784, 1933, 2016, 2203
dynamic, p. 722
free-edge, pp. 431, 1138
multiple, p. 951
through-the-width, p. 951
Delamination fracture test, p. 804
Depressurization, p. 258
Design, pp. 68, 177, 483, 544, 572, 851, 987, 1244, 1714
composites, p. 1714
microstructural, p. 1714
optimum, p. 851
probabilistic, p. 68
process, p. 1244
product, p. 1244
Diffusion, p. 1157
Digital speckle interferometry, p. 783
Dimensional analysis, p. 483
Double-cantilever-beam geometry, p. 2016
Dual scale porous media, p. 1753
Dynamic behavior, p. 246
Dynamic mechanical spectrometer, p. 2084
Effective bulk modulus, p. 1391
Effective conductivity, p. 1306
Effective elastic moduli, p. 1391
Effective elastic response, pp. 1426, 1472
Effective property, p. 1306
Effective shear modulus, p. 1391
Effective thermal conductivity, p. 1306
E-glass/epoxy, p. 1618
Elastic, pp. 1426, 1472
Elastic properties, pp. 2, 310
Electronic packaging materials, p. 1322
Elevated temperatures, p. 1311
Embedded, p. 1680
Embedder, p. 1647
End decay, p. 1986
Energy absorbency, p. 158
Energy methods, p. 1138
Energy release rate, pp. 123, 744
Energy storage system, p. 851
Environmental stress cracking, p. 31
Environmental test, pp. 387, 969
Epoxy, p. 387
ESPI, p. 1595
External pressure, p. 1618
Fabric, pp. 198, 223, 310
knitted, pp. 198, 310
plain-stitch, p. 198
unidirectional, p. 223
woven, p. 310
Failure, pp. 177, 1334, 1948
Failure analysis, pp. 406, 1836
Failure behavior, p. 198
Failure criteria, pp. 766, 1618
Failure envelope, pp. 766, 1618
Failure mechanism, pp. 246, 702, 722, 1356
Failure modes, pp. 2, 1311
Failure prediction, p. 1138
Fatigue, pp. 783, 1138, 1157, 1178, 1203
Fatigue crack growth, p. 910

(continued)

Subject index (continued)
Fiber, pp. 1426, 1472, 1680
Fiber geometry, p. 2042
Fiber optic, p. 1647
Fiber orientation, p. 744
Fiber volume, p. 929
Fibers, pp. 246, 893, 1138, 1273, 1306, 1753, 2084
  aramid, p. 893
  AS4, p. 1138
  carbon, pp. 246, 1273
  multiply coated continuous, p. 2084
  multiply coated long, p. 1306
Fibrous reinforcements, p. 1714
Filament winding, pp. 1325, 1618
Finite element, pp. 783, 1246, 1334, 1426, 1472
Finite element analysis, pp. 951, 1221, 2226
Finite element modeling, pp. 406, 652, 929, 1356
Fire retardant, p. 2120
Flow, pp. 1560, 1753, 1865
  fluid, p. 1865
  shear, p. 1560
  two-phase, p. 1753
  unsaturated, p. 1753
Flow modeling, p. 1753
Fractography, p. 1808
Fracture, pp. 504, 722, 744, 987, 1138, 1356, 1808, 2203
Fracture criteria, p. 1016
Fracture energy, p. 1246
Fracture mechanics, p. 1138
Fracture toughness, pp. 804, 987, 1273, 1508, 1528, 1808, 1933, 2203
  interlaminar, p. 1528
  interlaminar Mode I, p. 1508
  mixed mode, p. 804
Fracture toughness criterion, p. 1016
Free radical cure, p. 1273
Friction, p. 258
FRP degraded by hot water, p. 1295
Functionally graded materials, pp. 1322, 1391
Generalized self-consistent model, p. 1391
Generalized unidirectional self-consistent model, p. 2084
Graphite/epoxy, pp. 158, 258
Heat conduction, p. 1322
Hexagonal arrays, p. 1306
High pressure effects, p. 49
High strain rate, p. 246
High temperature, p. 1508
Homogenization, pp. 623, 2226
Honeycomb or foam core, p. 406
Hopkinson Pressure Bar, p. 246
Hybrid material, p. 987
Hybrid shaft, p. 1221
Impact, pp. 702, 1178
Impact damage, pp. 246, 258, 335, 406
Infrastructure (civil), p. 177
Inhibitor kinetics, p. 1273
Inhomogenous, p. 1391
In-situ curing, p. 1325
Interface, pp. 783, 987, 1784, 1933, 2060
Interfacial thermal barriers, p. 1322
Interferometry, p. 722
Interlaminar crack extension, p. 744
Interphase, p. 1391
Intralaminar, p. 1948
Inverse problem, p. 2178
Iosipescu test, p. 1986
Isotropic materials, p. 1391
Kink bands, p. 893
Laminate theory, p. 68
Laminates, pp. 31, 68, 83, 431, 460, 744, 783, 951, 1036, 1076, 1138, 1273, 1784, 1933, 2016, 2226
  angle-ply, p. 744
  CFRP, p. 83
  composite, pp. 68, 431, 951, 1036, 1076, 1933, 2016
  cross-ply, pp. 31, 2226
  EGRP, p. 783
  fiber metal, p. 1784
  thick, p. 1273
  unsymmetric, p. 460
Laser techniques, p. 702
Life prediction, p. 910
Limit states, p. 68
Load carrying capacity, p. 951
Load sharing, pp. 2042, 2060
Loading, pp. 702, 744, 1157, 1836
  fatigue, p. 1836
  quasistatic, p. 702
  static, p. 1836
  thermomechanical, p. 1157
  transverse, p. 744

Loading rate effect, p. 702
Local stress effects, p. 1986
Marine environment, p. 387
Material (fiber) architecture, p. 177
material symmetry, p. 310
Materials tailoring, p. 1714
Matrix cracks, p. 2226
Mean stress criterion, p. 1016
Mechanical fastening, p. 783
Mechanical properties, pp. 679, 1560
Mechanical testing, pp. 1115, 1986
Microcracking, p. 31
Micro-grid method, p. 83
Micromechanics, pp. 766, 1334, 1426, 1472
Microstructural analysis, p. 829
Mixed mode I/II, p. 1528
Mixed mode failure criterion, p. 1808
Mixed mode fracture criteria, p. 804
Mixed mode fracture test apparatus, p. 804
Mode I, p. 1528
Mode I interlaminar toughness, p. 2016
Mode II, p. 1528
Moire interferometry, p. 664
Moisture absorption, p. 2226
Monte-Carlo simulation, p. 910
Neural networks, p. 1244
Nonassociate flow rule, p. 2156
Nonloaded holes, p. 783
Nonquadratic yield-function, p. 2156
Numerical computation, p. 1297
Numerical simulations, p. 1865
Offshore environment, pp. 387, 969
Open sections, p. 1560
Optic, p. 1680
Optimal materials selection, p. 1714
Optimization, pp. 68, 177, 544, 572, 652
Orthotropic, p. 1647
Oxidation, p. 1157
Particulate reinforcements, p. 1714
Patching, p. 1595
Peel test, p. 1894
Periodic arrays, p. 1306
Periodic homogenization, p. 1297
Permeability, pp. 223, 1753, 2178
Phase stepping interferometry, p. 783
Phenolic, p. 387
Plain weave, pp. 1334, 1426, 1472
Plastic, pp. 387, 969, 1203, 2120
  fiber reinforced (FRP), pp. 387, 969, 2120
  glass fiber reinforced (GFRP), p. 1203
  glass reinforced (GRP), pp. 387, 969
Plates, pp. 123, 158, 460, 504, 572, 1948
  composite, p. 123
  flat, p. 158
  notched, p. 504
  tool, p. 460
Ply orientation, p. 1933
Plydrop, p. 572
Polar-anisotropic, p. 1948
Polyester, p. 2120
Polyimides, p. 31
Porosity, pp. 1426, 1472
Porous materials, p. 1865
Postbuckling behavior, p. 951
Post-stretching, p. 1784
Power law function, p. 177
Pressure effects, p. 49
Pressure vessel, p. 258
Principal axes, p. 1560
Probabilistic model, p. 1138
Process optimization, p. 1865
Progressive modeling, p. 1618
Projectile mass effect, p. 702
Proof test, p. 258
Property-microstructure relationships, p. 1714
Pull speed, p. 929
Pultruded rods, p. 893
Pultrusion, pp. 177, 929
Quartic failure criterion, p. 544
Quasistatic, p. 158
Raman spectroscopy, p. 893
Random arrays, p. 1306
Rayleigh Ritz Method, p. 123
Reinforcing tab, p. 2016
Repair, pp. 1036, 1076, 1595
Resin transfer molding, pp. 223, 829, 1244, 1273, 1753, 1865, 1964, 2178
Resin viscosity, p. 929
Resins, pp. 893, 1836
Resistance curve, p. 804
Response probabilistic material behavior, p. 679
Response sensitivities, p. 679
Restrained warping, p. 1560
Rigid beam element, p. 951

(continued)

Subject Index (continued)
Rotor dynamics, p. 652
Sandwich panels, p. 335
Semi-analytical resolution, p. 2084
Sensitivity analysis, pp. 68, 851, 1203, 1865
Sensor, pp. 1647, 1680
Shapes, pp. 177, 460
  cured, p. 460
  curvature, p. 460
  fiber reinforced plastic (FRP), p. 177
Shear center, p. 1560
Shear hackles, p. 1808
Shear model, p. 483
Shear testing, p. 1986
Shelby ratio, p. 258
Silica particles, p. 1836
Simulated annealing, p. 1714
Size effects, p. 1322
Slippage coefficient, p. 460
Slippage effect, p. 460
SMC low profile, p. 2120
Smoke suppressants, p. 2120
Snap-through phenomena, p. 460
Solvent, p. 31
Specific energy-absorption capability, p. 1964
Spherical inclusions, pp. 1297, 1391
Spin burst tests, p. 1016
Square arrays, p. 1306
St. Venant effects, p. 1986
Statistical analysis, p. 483
Stekloff Eigenvalue, p. 1322
Stiffness, pp. 483, 544, 572, 623, 1560
  axial, p. 1560
  bending, p. 1560
  shear, pp. 483, 1560
  torsional, p. 1560
Stitching, pp. 2016, 2203
Stochastic model, p. 1138
Strain, pp. 783, 1647, 1680
Strain energy release rate, pp. 804, 987, 2203
Strain rate effects, p. 49
Strength, pp. 2, 102, 246, 258, 335, 387, 483, 544, 572, 679, 829, 969, 987, 1203, 1273, 1295, 1356, 1836, 2042, 2060
  bond, p. 987
  burst, pp. 258, 829
  compression, p. 483
  compressive, pp. 483, 1356
  flexural, p. 1836
  interlaminar shear, p. 1295
  notched, p. 1273
  residual, p. 335
  shear, pp. 246, 483
  tensile, pp. 387, 1273, 2042, 2060
Strength degradation, p. 1203
Strength model, p. 483
Stress, pp. 2, 31, 361, 431, 783, 1221, 1325, 1618, 1680, 1784, 1948
  free-edge, p. 361
  Hertz contact, p. 783
  internal, p. 1784
  maximum, p. 1618
  residual, pp. 31, 361, 1325
  residual thermal, p. 1221
  thermal, pp. 361, 1325
  thermal residual, p. 431
Stress concentration, p. 141
Stress concentration factor, p. 623
Stress corrosion cracking, p. 31
Stress distribution, p. 1560
Stress intensity factor, p. 1595
Stress ratio, pp. 1203, 1836
Stress rupture, p. 1311
Sublaminate, p. 572
Taper, p. 572
Tensile test, pp. 102, 310, 387
Thermal management, p. 1322
Thermal processing, p. 361
Thermal properties, p. 679
Thermooxidative, p. 1115
Thermoplastics, pp. 431, 1311
Thickness scaling, p. 544, 572
3-D anisotropic plasticity, p. 2156
Three-phase model, p. 1391
Through-thickness reinforcement, p. 2016
Time-temperature superposition principle, p. 1836
Torsion, p. 1560
Total potential energy, p. 460
Tow impregnation process, p. 223
Translaminar reinforcements, p. 2203
Tsou-Wu failure criterion, p. 102
Tubes, pp. 158, 829, 1618, 1964
  composite, p. 829
  triaxially braided composite, p. 1964
Two-phase model, p. 2226

Unidirectional, p. 2084
Uniform dilatation, p. 2156
Unit-cell analysis, pp. 766, 1426, 1472
Unsaturated polyester, p. 1295
Unsymmetric faceplates, p. 406
Variational principle, p. 623
Velocity history, p. 702
Vibration suppression, p. 1914
Vicker's hardness, p. 1295
Vinyl ester, p. 1273
Viscoelastic behavior, p. 1297
Viscoelastic materials, p. 1914
Viscosity, p. 600
Void formation mechanisms, p. 223
Voids, p. 1753
Volume fraction, pp. 1426, 1472
Water absorption, p. 387
Waveforms, p. 258
Wood-FRP bond, p. 987
Wood-wood bond, p. 987
X-radiography, p. 31
Yarns, pp. 1808, 2203
Yeh-Stratton Criterion, p. 141
Young's modulus, p. 1356

AUTHOR INDEX

Advani, S. G., p. 1753
Ahn, J.-J., p. 910
Ahn, K.-J., p. 460
Ahn, S.-H., pp. 1036, 1076
Alonso, J. R., p. 2120
Amagi, S., p. 1836
Andrews, M. C., p. 893
Avva, V. S., p. 804
Bai, Y. L., p. 246
Bakis, C. E., p. 1325
Ballestero, J., p. 2120
Barbero, E. J., pp. 177, 483, 1560
Beraun, J. E., p. 2156
Beris, A. N., p. 1273
Binetruy, C., p. 223
Bledzki, A. K., p. 1528
Buchholz, F.-G., p. 1528
Bucinell, R. B., p. 1138
Buck, S. E., p. 874
Cappello, F., p. 783
Caprino, G., p. 1203
Carlson, K. S., p. 49
Chang, L.-C., p. 702
Charalambides, P. G., pp. 1426, 1472
Chen, J. K., p. 2156
Chern, C., p. 141
Chiou, T.-B., p. 1595
Chiu, C. H., p. 1964
Cho, D.-H., p. 1221
Cho, M., p. 460
Cho, Y.-S., p. 851
Choi, H. S., p. 460
Chou, T.-W., pp. 2, 198
Chow, C. L., p. 504
Chung, C. H., p. 460
Cloud, G. L., p. 783
Crews, Jr., J. H., p. 804
Crisfield, M. A., p. 1246
Curtin, W. A., pp. 2042, 2060
Dai, L. H., p. 246
D'Amore, A., p. 1203
Davalos, J. F., pp. 177, 987
Davies, G. A. O., p. 1246
Dharmapuri, S. M., p. 2203
Dhurjati, P. S., p. 1273
Dillard, D. A., p. 31
Domb, M. M., p. 361
Downs, K. S., p. 258
Dransfield, K. A., p. 2016
Dubey, D. D., p. 158
Elliott, C. H., p. 1157
Eom, Y. S., p. 460
Espinosa, H. D., p. 722
Facciolo, F., p. 1203
Funakura, S., p. 1295
Furrow, A. P. C., p. 31
Gabrys, C. W., p. 1325
Gibson, A. G., pp. 387, 526, 969
Gilchrist, M., p. 1808
Gommers, B., pp. 102, 310
Grabandt, O., p. 893
Gudmundson, P., p. 2226
Ha, S. K., p. 851
Hale, J. M., pp. 387, 526, 969
Hamstad, M. A., p. 258
Hansen, J. S., pp. 361, 431
Hansen, U., p. 335

(continued)

Author Index (continued)
Hatta, H., pp. 1016, 1273
Hellweg, H.-B., p. 1246
Hernangil, A., p. 2120
Hilaire, B., p. 223
Hilton, H. H., p. 600
Hinkley, J., p. 31
Hinton, M. J., p. 1618
Hong, C.-S., p. 951
Huang, W. J., p. 1964
Ishii, H., p. 910
Ito, M., p. 2
Ivens, J., p. 623
Jain, L. K., p. 2016
Jasiuk, I., p. 1391
Jen, M.-H. R., p. 1356
Jeong, H.-M., p. 851
Jun, S.-M., p. 951
Kaddour, A. S., p. 1618
Kamiya, S., p. 744
Karbhari, V. M., p. 1894
Kawada, H., pp. 1016, 1273
Kim, C.-G., p. 951
Kim, M.-H., p. 460
Kim, S.-T., p. 910
Kobayashi, A., p. 83
Kogo, Y., pp. 1016, 1273
Kollár, L. P., pp. 1647, 1680
Kollegal, M. G., p. 1334
Korjakin, A., p. 1528
Kosmatka, J. B., p. 1914
Kuhn, J. L., pp. 1426, 1472
Kwon, J.-D., p. 910
Kwon, Y. W., p. 406
Kyoung, W.-M., p. 951
Labed, N., p. 1297
Lang, E. M., p. 987
Lanza di Scalea, F., p. 783
Lee, D. G., p. 1221
Lee, L. J., p. 829
Leon, L. M., p. 2120
Li, S. J., p. 829
Li, W.-H., p. 1356
Lipton, R., p. 1322
Lischer, D. W., p. 874
Liu, X., p. 68
Lu, H.-C., p. 722
Lu, S.-Y., p. 1306
Lundgren, J.-E., p. 2226
Machida, T., p. 1273
Madabhusi-Raman, P., p. 987
Mahadevan, S., p. 68
Mahieux, C. A., p. 1311
Mahy, J., p. 893
Mai, Y.-W., p. 2016
Majima, O., p. 123
Manne, P. M., pp. 544, 572
Marrey, R. V., p. 766
Massa, J. C., p. 1560
McCarty, T. A., p. 929
McMurray, M. K., p. 1836
Mi, Y., p. 1246
Michaud, D. J., p. 1273
Miskioglu, I., p. 664
Mital, S. K., p. 679
Miyazaki, N., p. 1295
Mizutani, T., p. 1016
Murthy, P. L. N., p. 679
Napolitano, K. L., p. 1914
Nemat-Nasser, S., p. 874
Nguyen Viet, H., p. 2084
Ochoa, O. O., p. 1157
Ogihara, S., p. 83
Ohnabe, H., p. 1016
Pabiot, J., p. 223
Pae, K. D., p. 49
Parnas, R., p. 1244
Pastor, J., p. 2084
Pater, R. H., p. 1508
Pierron, F., p. 1986
Pillai, K. M., p. 1753
Pitchumani, R., p. 1714
Post, D., p. 664
Potter, B. D., p. 1508
Qiao, P., pp. 177, 987
Reifsnider, K. L., p. 1311
Rikards, R., p. 1528
Rodriguez, M., p. 2120
Roux, J. A., p. 929
Ruan, X., p. 198
Russell, B. E., p. 1311
Sadagopan, D., p. 1714
Sankar, B. V., pp. 766, 2203
Schaap, A. A., p. 893
Sekine, H., p. 744
Shah, A. R., p. 679
Sharma, D., p. 929
Shigemura, T., p. 1016
Shim, V. P. W., p. 1178
Shishoo, R., p. 1808

Shivakumar, K. N., p. 804
Sikarskie, D. L., p. 664
Siow, Y. P., p. 1178
Soden, P. D., p. 1618
Speake, S. D., p. 969
Spoerre, J., p. 1244
Springer, G. S., pp. 1036, 1076
Sridharan, S., p. 1334
St. Clair, T. L., p. 31
Suemasu, H., p. 123
Sun, C.T., p. 1933
Suzuki, S., p. 83
Svensson, N., p. 1808
Takao, Y., p. 1508
Takeda, N., pp. 83, 2042, 2060
Tao, J., p. 1933
Tomioka, F., p. 1016
Tsai, J. S., p. 829
Tsai, K.-H., p. 1964
Tsai, S. W., pp. 544, 572
Tsotsis, T. K., p. 1115
Turbe, N., p. 1297
Tutuncu, N., p. 1948
Unger, W. J., p. 431
Vandeurzen, P., p. 623
Van Houtte, P., pp. 102, 310
van Ingen, J. W., p. 1784
Van Steenkiste, R. J., pp. 1647, 1680
Vaughan, J. G., p. 929
Velton, K., pp. 1865, 2178
Verpoest, I., pp. 102, 310, 623
Vizzini, A. J., p. 158
Vlot, A., p. 1784
Wacker, G., p. 1528
Wang, B., p. 1244
Wang, H., p. 1528
Wang, W., p. 1391
Wang, W.-C., p. 1595
Wang, W. X., p. 1508
Wettergren, H. L., p. 652
Wojcik, G. W., p. 406
Wu, E., p. 702
Xie, M., p. 1894
Xu, Y., p. 722
Yagishita, Y., p. 744
Yang, F., p. 504
Yeh, H.-Y., p. 141
Yi, S., p. 600
Young, R. J., p. 893
Yuan, F. G., p. 1508
Zhang, C., p. 1244
Zhang, Y., p. 664
Zhu, H., p. 766